




MOUNTING TYPE AA			MOUNTING TYPE AB & AE		
DISP	C	D MAX	DISP	C	D MAX
120	104.3-106.5 [4.11-4.19]	188.0 [7.40]	120	185.9-189.5 [7.32-7.46]	270.1 [10.63]
150	109.9-112.1 [4.33-4.41]	193.6 [7.62]	150	191.5-195.1 [7.54-7.68]	275.6 [10.85]
190	117.3-119.4 [4.62-4.70]	200.7 [7.90]	190	198.8-202.5 [7.83-7.97]	283.0 [11.14]
239	126.2-128.3 [4.97-5.05]	209.6 [8.25]	239	207.5-211.1 [8.17-8.31]	291.6 [11.48]
300	137.1-139.2 [5.40-5.48]	220.8 [8.69]	300	218.6-222.3 [8.61-8.75]	302.8 [11.92]
381	151.8-154.0 [5.98-6.06]	235.5 [9.27]	381	234.4-235.5 [9.23-9.27]	317.5 [12.50]
490	171.7-173.7 [6.76-6.84]	255.3 [10.05]	490	254.3-255.3 [10.01-10.05]	337.3 [13.28]
600	191.7-193.9 [7.55-7.63]	275.1 [10.83]	600	273.0-276.9 [10.75-10.90]	357.4 [14.07]

MOUNTING TYPE AC			MOUNTING TYPE AD		
DISP	C	D MAX	DISP	C	D MAX
120	102.1-103.1 [4.02-4.06]	184.2 [7.25]	120	186.9-188.0 [7.36-7.40]	265.2 [10.44]
150	107.7-108.7 [4.24-4.28]	189.7 [7.47]	150	192.5-193.6 [7.58-7.62]	270.1 [10.66]
190	115.1-116.1 [4.53-4.57]	196.8 [7.75]	190	199.8-200.9 [7.86-7.91]	278.1 [10.95]
239	123.7-125.0 [4.87-4.92]	206.2 [8.12]	239	208.6-209.7 [8.21-8.26]	286.9 [11.30]
300	134.9-135.9 [5.31-5.35]	216.9 [8.54]	300	219.6-220.8 [8.65-8.69]	298.0 [11.73]
381	149.6-150.6 [5.89-5.93]	232.2 [9.14]	381	234.3-235.5 [9.22-9.27]	312.7 [12.31]
490	169.4-170.4 [6.67-6.71]	251.9 [9.92]	490	254.0-255.3 [10.00-10.05]	332.5 [13.09]
600	189.2-190.5 [7.45-7.50]	271.3 [10.68]	600	274.0-275.2 [10.97-10.84]	352.4 [13.88]

REV	DESCRIPTION	BY	CHK	DATE	ECN
A	ENGINEERING RELEASE	RAF		12-10-97	M18882
B	ADDED DISPLACEMENT CODE "49" TO ALL TABS	CMR		7-23-98	31517
C	(1A)ADDED PORT OPTIONS T AND U TO NOTE 1	AGJ		5-6-99	32697
D	REVISED PICTORIALY	AGJ		5-10-01	38066
E	(1A)ADDED OPTION F TO NOTE 1	PM		6-28-05	51740
F	REVISED	JSB		12-11-06	0001664
G	(6B) WAS 60.3 [2.38] 60.1 [2.36]	YUP		10-16-10	0027893



NOTE  
1 PORT OPTION AA

REVIEWED FOR CLASSIFICATION PER ESP-042

DRAWING BASED ON ANSI Y14.5M-1982

UNLESS OTHERWISE SPECIFIED ALL DIMENSIONS ARE IN:  
 INCHES   
 MILLIMETERS

TOLERANCES  
 .X + - - - -  
 .XX + - - - -  
 .XXX + - - - -  
 < + - - - -

UNSPECIFIED RADI ARE  
 - - - -

UNSPECIFIED DRAFT ANGLES ARE  
 - - - -

C SIZE

THE REPRODUCTION, DISTRIBUTION, AND UTILIZATION OF THIS DOCUMENT, AS WELL AS THE COMMUNICATION OF ITS CONTENTS TO OTHERS WITHOUT EXPLICIT AUTHORIZATION IS PROHIBITED. OFFENDERS WILL BE HELD LIABLE FOR THE PAYMENT OF DAMAGES. ALL RIGHTS RESERVED IN THE EVENT OF THE GRANT OF A PATENT, UTILITY MODEL, OR DESIGN. (PER ISO 18016)

DRAWN BY/DATE RAF 12-10-97  
 CHECKED BY/DATE RAF 12-11-97  
 ENGR. BY/DATE JDM 12-16-97  
 METALLURGY BY/DATE - - - -

MATERIAL/HEAT TREAT  
 TITLE  
 6000 SERIES MOTOR PORT INSTALLATION

NUMBER  
 A-1024-012

SCALE 1/1  
 SHEET 1 OF 1

ARITHMETICAL AVERAGE

THIRD ANGLE PROJECTION

DO NOT SCALE

ARITHMETICAL AVERAGE

SCALE 1/1

SHEET 1 OF 1

**Danfoss**