




REV	DESCRIPTION	BY	CHK	DATE	ECN
A	ENGINEERING RELEASE	AGJ		7-2-03	M31232
B	(MOUNTING TYPE WAS 'A')	JSB		4-7-07	0004973
C	(REVISED DIMENSIONS AS PER STACK UP -2X(4BX2B) REVISED PICTORALLY -3X(6A) NOTE 2 "Ø 161.92 [6.375]" WAS "... Ø 161.93 [6.375]"	CSG		4-11-12	M85333



NOTE

1 ROTATION:  
 STANDARD: WHEN FACING SHAFT END OF MOTOR, SHAFT TO ROTATE:  
 CLOCKWISE WHEN PORT 'A' IS PRESSURIZED  
 COUNTERCLOCKWISE WHEN PORT 'B' IS PRESSURIZED  
 REVERSE: WHEN FACING SHAFT END OF MOTOR, SHAFT TO ROTATE:  
 COUNTERCLOCKWISE WHEN PORT 'B' IS PRESSURIZED  
 CLOCKWISE WHEN PORT 'A' IS PRESSURIZED

2 MOUNTING TYPE: AA  
 STANDARD, 4 BOLT: Ø127.0 [5.00] PILOT, Ø16.76 [0.660] HOLES  
 ON Ø161.92 [6.375] BOLT CIRCLE.

**REVIEWED FOR CLASSIFICATION PER ESP-042**

**DRAWING BASED ON ASME Y14.5M-1994**

UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN MILLIMETERS DECIMALS ARE TO 0.01 FRACTIONS ARE TO 1/16 UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN MILLIMETERS DECIMALS ARE TO 0.01 FRACTIONS ARE TO 1/16	INTERNATIONAL FIRST THRU 9796 AGJ 9-20-03 9796 SMW 9-23-03 9796 TIM 9-23-03	TITLE <b>10,000 SERIES MOTOR INSTALL</b>	
UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN MILLIMETERS DECIMALS ARE TO 0.01 FRACTIONS ARE TO 1/16	THIRD ANGLE PROJECTION DO NOT SCALE	PART NUMBER <b>A-828-004</b>	SCALE 1/1 SHEET 1 OF 1